C **U-3** 4MAY *3*000

U.S. A	PPLICATION T	NO. (IF KNOWN, SE 152942	9 9	INTERNATIONAL A PCT/SI	E 98/0197			l l	187-2 PCT
20.	The fol	lowing fees are sub	mitted:.					CALCULATIONS	S PTO USE ONLY
BASIC		L FEE (37 CFR 1							
	•			or JPO		\$840.0	0		
				d to USPTO (37 CFR		\$670.00			
± []	No internation but internation	onal preliminary exa onal search fee paid	amination fee to USPTO (3	paid to USPTO (37 C 7 CFR 1.445(a)(2))	FR 1.482) \$760.0	0		
Neither international preliminary examination fee (37 CFR 1.482) no international search fee (37 CFR 1.445(a)(2) paid to USPTO						\$970.0	0		
	International and all claim	preliminary examinas satisfied provision	nation fee pains of PCT Art	d to USPTO (37 CFR cicle 33(2)-(4)	1.482)	\$96.0	0		
		ENTER AP	PROPRI	ATE BASIC FE	E AM	OUNT =		\$970.00	
Surcha month	arge of \$130.0 s from the ear	0 for furnishing the liest claimed priorit	oath or declary date (37 Cl	ration later than FR 1.492 (e)).	□ 20	0 🗵 3	0	\$130.00	
CL	AIMS	NUMBER	FILED	NUMBER EXT	`RA	RATE	3		
Total o	claims	26	- 20 =	6		x \$18.0	0	\$108.00	
Indepe	endent claims	2	- 3 =	0		x \$78.0	0	\$0.00	
Multi	ple Dependen	t Claims (check if a						\$0.00	
				ABOVE CALO			=	\$1,208.00	
Reduc must a	tion of 1/2 for also be filed (1	filing by small ent Note 37 CFR 1.9, 1.	tity, if applica .27, 1.28) (ch	ble. Verified Small E eck if applicable).	ntity Stat	ement		\$0.00	
					SUB	TOTAL	=	\$1,208.00	
Processing fee of \$130.00 for furnishing the English translation later than									
				TOTAL NAT	IONAI	LFEE	=	\$1,208.00	
Fee for	r recording the	e enclosed assignme appropriate cover sh	ent (37 CFR 1 neet (37 CFR	.21(h)). The assignm 3.28, 3.31) (check if	ent must l	oe l e).		\$0.00	
				TOTAL FEES	ENCL	OSED	=	\$1,208.00	
								Amount to be: refunded	\$
								charged	\$
×	A check in	the amount of \$1,2	08.00	to cover the above	fees is end	closed.			
Please charge my Deposit Account No. in the amount of to cover the above fees A duplicate copy of this sheet is enclosed.			ve fees.						
The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. 15-0030 A duplicate copy of this sheet is enclosed. NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR									
NOTE 1.137(E: Where an (a) or (b)) mu	appropriate time li st be filed and grai	imit under 3' ated to restor	7 CFR 1.494 or 1.495 re the application to	has not lipending s	been met, a status.	petiti	on to revive (37 CF	R
SEND	ALL CORRE	ESPONDENCE TO:			_	7867	1001	,	
Cryst		, McCLELLAND, ve, Fourth Floor vis Highway	MAIER & N	NEUSTADT, P.C.		SIGNAT	URE		
Arlin	gton, Virgini					Marvin	J. SP	IVAK	
703-4	113-3000					NAME			
		tetti i ene i	er oa asid	a, the off		24,913			
			E. BEAUN		REGISTRATION NUMBER				
	REG!STRATION NUMBER 30,996			L. (UU, 77U	May 3, roso				
						~2111			

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF:

:

GUNNAR BAHLENBERG ET AL

: ATTN: APPLICATION DIVISION

SERIAL NO: NEW U.S. PCT APPLN

(Based on PCT/SE98/01973)

FILED: HEREWITH

FOR:

IMPROVEMENTS IN, OR RELATING TO, DIGITAL

TRANSMISSION

PRELIMINARY AMENDMENT

ASSISTANT COMMISSIONER FOR PATENTS WASHINGTON, D.C. 20231

SIR:

Prior to a first examination on the merits, please amend the above-identified application as follows:

IN THE SPECIFICATION

Page 1, before line 1, insert

--<u>TITLE OF THE INVENTION</u>--;

between lines 1 and 2, insert

--BACKGROUND OF THE INVENTION

Field of the Invention--;

between lines 4 and 5, insert

-- Discussion of the Background ---.

Page 2, between lines 6 and 7, insert

--SUMMARY OF THE INVENTION---.

Page 4, between lines 13 and 14, insert

--BRIEF DESCRIPTION OF THE DRAWINGS --;

between lines 17 and 18, insert

-- DESCRIPTION OF THE PREFERRED EMBODIMENTS --.

IN THE CLAIMS

Please amend the claims as follows:

Claim 2, line 1, change "2" to --1--.

Claim 3, line 1, delete "either"; same line, delete "or claim 2,".

Claim 4, line 1, delete "either"; same line, delete "or claim 3,".

Claim 5, line 1, delete "or claim 4,".

Claim 6, line 1, change "any of claims 2 to 5," to --claim 2,--.

Claim 7, line 1, change "any of claims 2 to 6," to --claim 2,--.

Claim 8, line 1, change "any previous claim," to --claim 1,--.

Claim 9, line 1, change "any previous claim," to --claim 1,--.

Claim 10, line 1, change "any previous claim," to --claim 1,--.

Claim 11, line 1, change "any previous claim," to --claim 1,--.

Claim 12, line 1, delete "either"; same line, delete "or claim 11,".

Claim 13, line 1, "any of claims 10 to 12," to --claim 10,--.

Claim 16, line 1, delete "either"; same line, delete "or claim 15,".

Claim 17, line 1, delete "either"; same line, delete "or claim 16,".

Claim 18, line 1, delete "or claim 17 when dependent on claim 15,".

Claim 19, line 1, change "any of claims 15 to 18," to --claim 15,--.

Claim 20, line 1, change "any of claims 15 to 19," to --claim 15,--.

Claim 21, line 1, change "any of claims 14 to 20," to --claim 14,--.

Claim 22, line 1, change "any of claims 14 to 21," to --claim 14,--.

Claim 23, line 1, change "any of claims 14 to 22," to --claim 14,--.

Claim 24, line 1, change "any of claims 14 to 22," to --claim 14,--.

Claim 25, line 1, delete "either"; same line, delete "or claim 24,".

Claim 26, line 1, change "any of claims 23 to 25," to --claim 23,--.

IN THE ABSTRACT

Please delete the original abstract sheet in its entirety and insert therefor

-- ABSTRACT OF THE DISCLOSURE

A digital transmission system and method which combines advantages of OFDD with Frequency Divided Duplex (FDD), to thereby enable a reach of a vdsl transmission system to be extended. The system and method require utilizing an extra cyclic prefix and, for longer lines, frequencies above the FDD band are not used. As a result, time synchronization is performed between all transmitters in the ONUs and the NTs, a timing advance is calculated from a line length, and different sub-carriers are used in up-stream and down-stream directions.—

REMARKS

Favorable consideration of this application, as presently amended, is respectfully requested.

The present preliminary amendment is submitted to place the above-identified application in more proper format under United States practice. By the present preliminary amendment the specification has been amended to include suggested headings. The claims have been amended to no longer recite any multiple dependencies. A new abstract believed to be in more proper format under United States practice is also submitted herein.

The present application is believed to be in condition for a full and thorough examination on the merits. An early and favorable consideration of the present application is hereby respectfully requested.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.

Gregory J. Maier

Sirvely Jacker

Attorney of Record Registration No. 25,599

Surinder Sachar

Registration No. 34,423

Crystal Square Five - Fourth Floor 1755 Jefferson Davis Highway Arlington, Virginia 22202 (703) 413-3000 Fax No.: (703) 413-2220

SNS/cle

I:\atty\SNS\28670187.pr

09/529429 Rec'd PCT/PTO 03 MAY 2000

WO 99/23764 PCT/SE98/01973

Improvements in, or Relating to, Digital Transmission

The present invention relates to digital transmission systems employing VDSL and/or ADSL with reduced NEXT, and methods of transmitting data with reduced NEXT using VDSL and/or ADSL.

5

10

15

20

25

Current proposals for the use of VDSL (Very high rate Digital Subscriber Line) suggest that it should be limited to a maximum range of 1.5 Km. Most telecommunications operators have access networks where a 1.5 km transmission range would mean that many subscribers are excluded from receiving service. If VDSL is to be offered on a universal, or near universal basis, subscriber lines need to be shortened. This would be a prohibitively expensive operation demanding the wholesale reconstruction of telecommunications networks. Instead of shortening subscriber lines it may be desirable to offer subscribers the transmission capacity that is available on the lines they currently possess. This kind of graceful degradation in capacity means that the reach of VDSL can be extended. The present invention describes a technique for extending the reach of VDSL without degrading the transmission capacity of shorter lines.

There are two different kind of cross-talk for wire communication, cross-talk in the Near- End (NEXT) and in the Far-End (FEXT). NEXT is the more damaging form of cross-talk, so it is desirable to design systems that suppress NEXT. With a smart duplex scheme it is possible to minimise NEXT between VDSL Systems. The duplex technique disclosed in our patent application PCT/SE 9600935 is intended to suppress NEXT. Using this technique it is possible to use any carrier for either the up-stream, or down-stream, transmission direction. This method is known as OFDD (Orthogonal Frequency Divided Duplex), also known as Zipper. The elements of OFDD are:

- different sub-carriers are used in the up-stream and down-stream transmission directions;
- time synchronisation is performed between all transmitters in the

According to a first aspect of the present invention, there is provided a telecommunications system having a plurality of data modems linked to a central station by subscriber lines of differing lengths, in which duplex data is transmitted between said central station and one, or more, modems using VDSL, said subscriber lines being grouped into longer and shorter lines, characterised in that FDD is employed at lower frequencies for transmissions over said longer lines and OFDD is employed at higher frequencies for transmissions over said shorter lines.

Preferably, an extra cyclic prefix is used for OFDD transmissions over shorter lines, and frequencies above an FDD band are not used for longer lines.

Shorter lines may be classified as lines having a length less than X metres and longer lines may be classified as lines having a length equal to, or greater than X metres, where X is a design parameter selected for a given telecommunications system.

Said cyclic prefix may be dimensioned for a shorter line.

Preferably, said cyclic prefix is dimensioned for a line of length X metres.

Time-synchronisation may be performed between all transmitters in CNUs and NTs incorporated in said system.

Timing advance may be calculated for each line from the line's length.

5

10

15

20

• 20

5

Different sub-carriers may be used in up-stream and down-stream transmission directions.

A power boost may be applied to FDD band transmission.

Both ADSL and VDSL may be employed.

Both ADSL and VDSL may be employed on a single wire.

The frequency band employed for FDD may be the same as that employed for ASDL in both the up-stream and down-stream transmission directions.

Said FDD band frequencies may be power boosted to the same power level as that employed for ASDL.

According to a second aspect of the present invention, there is provided, in a telecommunications system having a plurality of data modems linked to a central station by subscriber lines of differing lengths, said subscriber lines being grouped into longer and shorter lines, a method of transmitting duplex data between said central station and one, or more, modems using VDSL, characterised by using FDD for transmission at lower frequencies over said longer lines and OFDD for transmission at higher frequencies over said shorter lines.

An extra cyclic prefix may be used for OFDD transmissions over shorter lines, and frequencies above an FDD band may not be used for transmission over longer lines.

Shorter lines may be classified as those lines having a length less than X metres and longer lines may be classified as those lines having a length equal to, or greater than X metres, where X is a design parameter selected for a given telecommunications system.

Said cyclic prefix may be dimensioned for a shorter line.

15

WO 99/23764 PCT/SE98/01973

-4-

Said cyclic prefix may be dimensioned for a line of length X metres.

Time-synchronisation may be performed between all transmitters in ONUs and NTs incorporated in said system.

Timing advance may be calculated for each line from the line's length.

5 Different sub-carriers may be used in up-stream and down-stream

transmission directions.

A power boost may be applied to FDD band transmissions.

Both ADSL and VDSL may be employed.

Both ADSL and VDSL may be employed on the same wire.

The same frequency band may be employed for FDD as that employed for ASDL in both the up-stream and down-stream transmission directions.

Said FDD band frequencies may be power boosted to the same power level as that employed for ASDL.

Embodiments of the invention will now be described, by way of example, with reference to the accompanying drawings, in which:

Figure 1 illustrates, in schematic form, a VDSL transmission system having long and short lines.

In order to facilitate an understanding of the present invention a glossary of terms used in the description of the present invention is provided below:

20 ASDL: Asymmetric Digital Subscriber Line

FDD: Frequency Divided Duplex

FEXT:

Far-End Cross Talk

NEXT:

Near-End Cross talk

NT:

Network Termination

OFDD:

Orthogonal Frequency Divided Duplex

ONU:

Optical Network Unit

VDSL:

Very high rate Digital Subscriber Line

As previously explained, there are two different kind of cross-talk for wire communication, cross-talk in the Near- End (NEXT) and in the Far-End (FEXT). Because NEXT is the more damaging form of cross-talk, it is more important to suppress NEXT, than FEXT. With a smart duplex scheme it is possible to minimise NEXT between VDSL Systems. The duplex method described in our patent application PCT/SE 9600935 can be used to suppress NEXT. This technique includes the following elements:

15

į

Same See Cons.

No. 27 1 No.

ų j

į, į,

24.00 Ama 25.00 Ama 25.00 Ama 10

- different sub-carriers are used in the up-stream and down-stream directions;
- time synchronisation is performed between all transmitters in the ONUs and the NTs; and
- an extension of the cyclic prefix is added to compensate for propagation delay.

20

The present invention combines the advantages of OFDD with Frequency Divided Duplex (FDD). FDD means that the up-stream and down-stream bands are divided into separate frequency bands that can be separated with filters. For FDD, NEXT is not a problem, provided that the separate frequency bands are filtered out properly. FDD has the disadvantage that it is a static duplex scheme

25

10

1.4

The The Tolk The The

20

25

and it is not, therefore, possible to change the up-stream and down-stream bands without changing filters. The advantage of OFDD is that dynamic up-stream and down-stream allocation can be employed without increasing NEXT. On the other hand, OFDD has the disadvantage that an extended cyclic prefix must be used and this becomes large for longer lines, resulting in lost capacity.

The present invention uses FDD for lower frequencies, to extend the reach without an additional capacity loss. For higher frequencies an arbitrary upstream/down-stream loading on the different OFDD carriers makes it possible to handle different symmetry/asymmetry rates for shorter wires. To fulfil the orthogonal requirements in OFDD, an extension of the cyclic prefix has to be added. This extra prefix has to be dimensioned from the propagation delay of the longest line. This means that the capacity loss caused by the cyclic prefix becomes larger for longer lines. When the new duplex technique of the present invention is used the extra cyclic prefix is dimensioned for a shorter line. There will be no extra capacity loss for longer lines and NEXT will not be increased. The present invention requires that:

- the extra cyclic prefix be dimensioned for X metres, where X is the length of a typical shorter line; and
- for lines longer than X metres the frequencies above the FDD band are not used, i.e. FDD is used for longer lines and OFDD is used for lines less than X metres in length.

This in turn means that:

- time-synchronisation is performed between all transmitters in the ONUs and the NTs:
- timing advance is calculated from the line length; and
- different sub-carriers are used in up-stream and down-stream directions.

10

15

20

25

To further extend the reach of a VDSL system, according to the present invention, a power boost is switched on for longer lines. The power boost increases the transmitted power over the FDD band.

In Figure 1 there is shown two different line lengths with 2 groups of VDSL modems. The distance between the ONU and group 2 is less than X metres and the distance to group 1 is larger than X metres. The precise value of X is a design choice. With the new method, group 1 modems only use FDD which eliminates NEXT between group 1 modems. Group two modems can use higher frequencies, as well as lower frequencies, if the extra cyclic prefix is dimensioned for X metres. If all requirements for OFDD are fulfilled, there will be no NEXT between group 2 modems. If timing advance is calculated for each wire, then the symbols transmitted from the group 1 modems will be inside the extra cyclic prefix for the part of the wire where the two groups affect each other and the requirements for OFDD are fulfilled.

An interesting aspect of the duplex technique employed in the present invention is that co-existence problems with ADSL can be solved. The problem with mixing ADSL and VDSL on the same wire is the large NEXT from ADSL into VDSL. With the present invention it is possible to solve this problem without any NEXT between ADSL and VDSL. If we let:

- the up-stream and down-stream bands, in the FDD band, be the same as the band used in ASDL; and
- the power boost used for these bands be the same as the power levels used in ADSL.

then VDSL can offer ADSL capacity for longer lines and still offer VDSL capacity for short lines without any extra loss of capacity.

The present invention has the following advantages, it can:

increase the capacity and the reach of VDSL systems;

10

15

20

- be implemented to solve the co-existence problem between ADSL and VDSL; and
- reduce the capacity loss for OFDD on long lines.

The choice of a value for X, is a design decision made for a given system. Those skilled in the art will appreciate the factors to be taken into account in selecting the value for X.

The terms "shorter" and "longer", as herein used with reference to subscriber lines, are intended to indicate the relative length of subscriber lines relative to each other, i.e. subscriber lines can be classified into two groups, depending on their length relative to each other. The question of whether a particular line is to be regarded as longer, rather than shorter is, as indicated above, a design decision. In the same way, the terms "higher" and "lower", as herein used with reference to frequency, is intended to indicate the relative values, with respect to each other, of the frequency bands employed for OFDD and FDD transmissions, i.e. the frequency band used for OFDD will be of higher frequency than the frequency band used for FDD.

For the avoidance of doubt, the term OFDD, as used in this specification, is intended to embrace similar duplex techniques, such as those employing DMT, wavelet multiplexing, or the like.

25

5

CLAIMS

- 1. A telecommunications system having a plurality of data modems linked to a central station by subscriber lines of differing lengths, in which duplex data is transmitted between said central station and one, or more, modems using VDSL, said subscriber lines being grouped into longer and shorter lines, characterised in that FDD is employed at lower frequencies for transmissions over said longer lines and OFDD is employed at higher frequencies for transmissions over said shorter lines.
- 2. A telecommunications system, as claimed in claim 2, characterised in that an extra cyclic prefix is used for OFDD transmissions over shorter lines, and in that frequencies above an FDD band are not used for longer lines.
- 3. A telecommunications system, as claimed in either claim 1, or claim 2, characterised in that shorter lines are classified as lines having a length less than X metres and longer lines are classified as lines having a length equal to, or greater than X metres, where X is a design parameter selected for a given telecommunications system.
- 4. A telecommunications system, as claimed in either claim 2, or claim 3, characterised in that said cyclic prefix is dimensioned for a shorter line.
- 5. A telecommunications system, as claimed in claim 3, or claim 4, when dependent on claim 2, characterised in that said cyclic prefix is dimensioned for a line of length X metres.
- 6. A telecommunications system, as claimed in any of claims 2 to 5, characterised in that time-synchronisation is performed between all transmitters in ONUs and NTs incorporated in said system.
- 7. A telecommunications system, as claimed in any of claims 2 to 6, characterised in that timing advance is calculated for each line from the line's

10

Hard Hard Court Hard Hard Hard Hard Hard Hard

20

25

8. A telecommunications system, as claimed in any previous claim, characterised in that different sub-carriers are used in up-stream and down-stream transmission directions.

- 10 -

- 9. A telecommunications system, as claimed in any previous claim, characterised in that a power boost is applied to FDD band transmission.
- 10. A telecommunications system, as claimed in any previous claim, characterised in that both ADSL and VDSL are employed.
- 11. A telecommunications system, as claimed in any previous claim, characterised in that both ADSL and VDSL are employed on a single wire.
- 12. A telecommunications system, as claimed in either claim 10, or claim 11, characterised in that the frequency band employed for FDD is the same as that employed for ASDL in both the up-stream and down-stream transmission directions.
- 13. A telecommunications system, as claimed in any of claims 10 to 12, characterised in that said FDD band frequencies are power boosted to the same power level as that employed for ASDL.
- 14. In a telecommunications system having a plurality of data modems linked to a central station by subscriber lines of differing lengths, said subscriber lines being grouped into longer and shorter lines, a method of transmitting duplex data between said central station and one, or more, modems using VDSL, characterised by using FDD for transmission at lower frequencies over said longer lines and OFDD for transmission at higher frequencies over said shorter lines.
- 15. A method, as claimed in claim 14, characterised by using an extra cyclic prefix for OFDD transmissions over shorter lines, and by not using frequencies above an FDD band for transmission over longer lines.

• 20

5

- 16. A method, as claimed in either claim 14, or claim 15, characterised by classifying shorter lines as those lines having a length less than X metres and longer lines as those lines having a length equal to, or greater than, X metres, where X is a design parameter selected for a given telecommunications system.
- 17. A method, as claimed in either claim 15, or claim 16, characterised by dimensioning said cyclic prefix for a shorter line.
- 18. A method, as claimed in claim 16, or claim 17 when dependent on claim 15, characterised by dimensioning said cyclic prefix for a line of length X metres.
- 19. A method, as claimed in any of claims 15 to 18, characterised by performing time-synchronisation between all transmitters in ONUs and NTs incorporated in said system.
- 20. A method, as claimed in any of claims 15 to 19, characterised by calculating timing advance for each line from the line's length.
- 21. A method, as claimed in any of claims 14 to 20, characterised by using different sub-carriers in up-stream and down-stream transmission directions.
- 22. A method, as claimed in any of claims 14 to 21, characterised by applying a power boost to FDD band transmissions.
- 23. A method, as claimed in any of claims 14 to 22, characterised by employing both ADSL and VDSL.
- 24. A method, as claimed in any of claims 14 to 22, characterised by employing both ADSL and VDSL on the same wire.
- 25. A method, as claimed in either claim 23, or claim 24, characterised by employing the same frequency band for FDD as that employed for ASDL in both the up-stream and down-stream transmission directions.


THE STREET STATE STA

26. A method, as claimed in any of claims 23 to 25, characterised by power boosting said FDD band frequencies to the same power level as that employed for ASDL.

WO 99/23764

PCT/SE98/01973

1/1



2867-0187-2 PCT

Beckuration, Power Of Attorney and Petition

Page 1 of 7

IMPROVEMENTS IN, OR RELATING TO, DIGITAL TRANSMISSION the specification of which is attached hereto. was filed on	We (I) be	ence, post office address and citizenship are as stated lieve that we are (I am) the original, first, and joint for which a patent is sought on the invention entitle	: (sole) inventor(s) of the subject matter which	ı is
is attached hereto. Was filed on				
is attached hereto. Was filed on				
Application Serial No	the specifica	tion of which		
Application Serial No		☐ is attached hereto.		
and amended on Was filed as PCT international application NumberPCT/SE98/01973 on30 October 1998,	•	was filed on 03 May 2000	as	
was filed as PCT international application Number PCT/SE98/01973 on 30 October 1998		Application Serial No. 09/529, 429		
Number PCT/SE98/01973 on 30 October 1998	•	and amended on		
on 30 October 1998 ,		was filed as PCT international application		
		Number PCT/SE98/01973		
and was amended under PCT Article 19		on 30 October 1998		
		and was amended under PCT Article 19		
on (if applicable).		on	(if applicable).	

- We (I) acknowledge the duty to disclose information known to be material to the patentability of this application as defined in Section 1.56 of Title 37 Code of Federal Regulations.
- We (I) hereby claim foreign priority benefits under 35 U.S.C. § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed. Prior Foreign Application(s)

	Application No.	Country	Day/Month/Year	Prior Clain	ity ned
	9704009-1	SWEDEN	03 November 1997	🖾 Yes	□ No
-				□ Yes	□ No
_				□ Yes	□ No
-				C Yes	□ No

2867-0187-2 PCT

Page 2 of 7 Declaration

(Application	(Application Number)		Date)
(Application	1 Number)	(Filing	; Date)
,		20 of any United Sta	ates application(s), or § 365(c) of any
PCT International application design each of the claims of this application in the manner provided by the fir information which is material to pate filing date of the prior application and	nating the United is not disclosed in est paragraph of entability as define	States, listed below: the prior United Sta 35 U.S.C. § 112, I ed in 37 CFR § 1.56	and, insofar as the subject matter of tes or PCT International application acknowledge the duty to disclose which became available between the
Application Serial No.	Filing I		Status (pending, patented, abandoned)
PCT/SE98/01973	30 October	1998	
•			
•			
T. Pous, Reg. No. 29,099; Charles L. Lavalleye, Reg. No. 31,451; Stephen & Weihrouch, Reg. No. 32,829; John T. E. Lipman, Reg. No. 30,011; Carl E. Neifeld, Reg. No. 35,299; J. Derek I Gadiano, Reg. No. 37,628; Jeffrey B. McCabe, Jr., Reg. No. 37,182; Bradle (my) attorneys, with full powers of subusiness in the Patent Office connect this application be sent to the firm whose Post Office Address is: Fourth We (I) declare that all statements made on information and belief are knowledge that willful false statement under Section 1001 of Title 18 of the the validity of the application or any	G. Baxter, Reg. No. Goolkasian, Reg. Schlier, Reg. No. Mason, Reg. No. McIntyre, Reg. No. Lytle, Reg. I bubstitution and rested therewith; and of OBLON, SPIVEN Floor, 1755 Jeff made herein of outlets and the like so tunited States Co.	p. 32,884; Richard L. No. 26,142; Richard 34,426; James J. Ku 35,270; Surinder Sacoo, 36,867; William Too, 40,073; and Microcation, to prosecutive (I) hereby requestation, McCLELLAN erson Davis Highwater (my) own knowled; and further that the made are punishable de and that such will	Treanor, Reg. No. 36,379; Steven P. d L. Chinn, Reg. No. 34,305; Steven Ibaski, Reg. No. 34,648; Richard A. har, Reg. No. 34,423; Christina M. Enos, Reg. No. 33,128; Michael E. hael R. Casey, Reg. No. 40,294; out to this application and to transact all st that all correspondence regarding ID, MAIER & NEUSTADT, P.C. ay, Arlington, Virginia 22202.
NAME OF FIRST SOLE INVENT	OR	Residence: Bli Lulea, SWE	dvagen 234, S-976 32 DEN SEX
Jun Dall	<u>~</u>	Citizen of: SWE	DEN
Signature of Inventor)	Post Office Add	ress: same as above
120 July 200	0		

100

23-OKT-2000 16:53 TELIA RESEARCH AB

2867-0187-2 PCT

Page 3 of '7 Declaration

Daniel BENGTSON	Residence: Forskarvagen 36 A, S-977 53
JOO Daniel BENGTSON NAME OF SECOND JOINT INVENTOR	Lulea, SWEDEN SEX
Signature of Inventor	Citizen of: SWEDEN Post Office Address: same as above
<u> 2000 - 10 - 03</u> Date	
300 Siwert HAKANSSON NAME OF THIRD JOINT INVENTOR	Residence: Aprilvagen 10, S-177 61
Signature of Inventor	Citizen of: SWEDEN Post Office Address: same as above
2000-10-10 Date	
Anders ISAKSSON NAME OF FOURTH JOINT INVENTOR	Residence: Elevvagen 1 S-977 25
Signature of Inventor	Citizen of: SWEDEN Post Office Address:same as above
$\frac{2000-07-3}{Date}$	
NAME OF FIFTH JOINT INVENTOR	Residence: Residensgatan 6 C, S-972 36 Lulea, SWEDEN SEX
Signature of Inventor	Citizen of: SWEDEN Post Office Address: same as above
1 2000-08-07 Date	

2867-0187-2 PCT

Page 4 of 7 Declaration

Mikael ISAKSSON	Residence: Borgmastarevagen 7. S-973 42
NAME OF SIXTH JOINT INVENTOR	Lulea, SWEDEN S75 X
Mal Meller	Citizen of: SWEDEN
Signature of Inventor	Post Office Address: <u>same as above</u>
Date 2000-08-10	
4.0	Residence: Timmermansgatan 34, S-972 53
Magnus JOHANSSON NAME OF SEVENTH JOINT INVENTOR	Lulea, SWEDEN SEX
	THIER, SWEDEN - C/
Megnub Janus Signature of Inventor	Citizen of: SWEDEN
Signature of Inventor	Post Office Address: same as above
7	
2000-07-31	
Date	
To the state of th	Residence: Lingonstigen 63, S-973 33
Mauritz LAHTL NAME OF EIGHTH JOINT INVENTOR	Lulea, SWEDEN SEX
Mauritz LAHTL NAME OF EIGHTH JOINT INVENTOR	
Manylelia	Citizen of: SWEDEN
Signature of Inventor	_
	Post Office Address: same as above
(X-000 08-16	
9000-08-19 Date	
Date	
900 Lis-Marie LJUNGGREN NAME OF NINTH JOINT INVENTOR	Residence: Praktikantvagen 31, S-977 53
NAME OF NINTH JOHN INVENTOR	Lulea, SWEDEN SEX
3 A a 3	
dalloui In	Citizen of: SWEDEN
Signature of Inventor	Post Office Address: same as above
1_2000-08-14	
Date	

Page 5 of 7 Declaration

Hang LUNDRERG	Residence: Vastra Solgatan 8, S-972 53
NAME OF TENTH JOINT INVENTOR	Lulea, SWEDEN SEX
Signature of Inventor	Citizen of: SWEDEN
Signature of inventor	Post Office Address: <u>same</u> as above
✓ 2000-08-10 Date	
NAME OF ELEVENTH JOINT INVENTOR	Residence: <u>Docentvagen 279, S-955 52</u> <u>Lulea, SWEDENSEX</u>
Signature of Inventor	Citizen of: SWEDEN Post Office Address: same as above
√ 2000 - 08 - 28 Date	
Lennart OLSSON NAME OF TWELFTH JOINT INVENTOR	Residence: Majvagen 39, S-973 31 Lulea, SWEDEN SEX
Signature of Inventor	Citizen of: SWEDEN Post Office Address: same as above
7000-08-07 Date	
NAME OF XXXXXXXXIOINT INVENTOR	Residence: Malmuddsvagen 9, S-972 46 Lulea, SWEDEN S
Signature of Inventor	Citizen of: SWEDEN Post Office Address: _same as above
2000 - 08-14 Date	

23-OKT-2000 16:54

Page 6 of 7 Declaration

(A)O Tomas STEFANSSON	Residence: Lulavan 773, S-961 93
NAME OF TOWN TOWN TOWN TOWN TOWN TOWN THE NAME OF TOWN TEENTH OF	Boden, SWEDEN SEX
Tomas St-	Citizen of: SWEDEN
Signature of Inventor	Post Office Address: same as above
2000-07-31	
Date	
NAME OF XXXXXXX JOINT INVENTOR	Residence: Faltspatstigen 21. S-977 53 Lulea, SWEDEN SEX
V Han Ohmen	Citizen of: SWEDEN
Signature of Inventor	Post Office Address: <u>same</u> as above
Date 2000 - 08 - 16	
Goran OKVIST	Residence: Hagaplan 7, S-974 41
NAME OF XXXXXXX JOINT INVENTOR	Lulea, SWEDEN SEX
CSL	Citizen of: SWEDEN
Signature of Inventor	Post Office Address: same as above
2000-07-31	
Date	P16810 Lahasund Professorsvagen 100 Bp Haiking
Per_ODLING	Residence: Expressive A-6 30
SEVENTEENTH	23 October 2000 P.O. Austria
	_ Citizen of: SWEDEN #330
Signature of Inventor	Post Office Address: same as above
12000-09-25	
Date	

Date

Date

NAME OF

Signature of Inventor

23-0KT-2000 16:54

2867-0187-2 PCT Page 7 of 7 Declaration + Tradgerdgatan 9e 922353 Lund Residence: Docentvagen Lulear, SWEDEN SEX Citizen of: SWEDEN Post Office Address: same as above Residence: Forskarvagen 31 A, S-977 53 19-00 Frank SJOBERG NAME OF XXXXXXXX JOINT INVENTOR Lulea, SWEDEN SEX THE STREET Citizen of: SWEDEN Post Office Address: same as above Residence: IOINT INVENTOR NAME OF Citizen of: Signature of Inventor Post Office Address: _____

JOINT INVENTOR

Residence:

Post Office Address: ___

Citizen of: